

JUSTIFICATION FOR SOLE SOURCE (Simplified Acquisitions <\$150K)

The service or material listed on N5572216RCN04FS is sole source and competition is precluded for reasons indicated below. There are no substitutes available for this material or service.

Restricted to the following source. Provide original manufacturer's name.

Manufacturer: Emerson Network Power, Liebert Services Inc.

Manufacturer POC & phone nr. Sue Brenzovich, (804) 747-6030/sue.brenzovich@emerson.com

Mfr. Address: 610 Executive Campus Drive
Westerville, Ohio 43082

☒ Description of the item or service required, the estimated cost, and required delivery date.

Renewal of FY15 maintenance contract N00189-13-P-0071 for continued service of One year of Essential Service on the FPC 150-300 & NX 160-200 UPS Systems. Sealed Batteries, and Precision Cooling System including guaranteed 4-hour on site emergency response 24hours/day, 7 days/week, emergency service labor and travel coverage, parts coverage and preventive maintenance visits scheduled Monday through Friday.

Request the award of a Base Year contract with 2 additional option years

Base Year: _____

Opt Yr I: _____

Opt Yr II: _____

☒ Specific characteristics of the material or service that limit the availability to a sole source (unique features, function of the item, etc.). Describe in detail why only this suggested source can furnish the requirements to the exclusion of other sources.

Emerson Network Power, Liebert Services Inc. is the only authorized service provider for their UPS (Uninterruptable Power Supply) products. Emerson Network Power does not offer training to any third party service providers as they are the original manufacturer. Emerson Network Power technicians are the only vendors able to work on the UPS products without voiding the manufacturer's warrantee. No other providers are able to provide the requested services.

☒ The requested material or service represents the minimum requirements of the government.

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

____ The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed/performing. Describe the equipment/function you have now and how the new item/service must coordinate, connect, or interface with the existing system.


____ A patent, copyright or proprietary data limits competition. The proprietary data is _____

X These are "direct replacements" parts/components for existing equipment.

X Other information to support a sole source buy:

Previous maintenance contract N00189-13-P-0071 was awarded in FY13 by FLC Norfolk POC Morris Staton. The contract contained a base year plus 2 option years. This new request is for follow on maintenance services as the options on the FY13 contract have been exercised.

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

X 
Lynne Pennington
Deputy Comptroller

Signature

Activity NIOC Norfolk

Date 10/9/2015

Contracting Officer Signature 

Date 10/14/15

SAP Sole Source